USETO MAIL CENTER

AN EQUAL OPPORTUNITY EMPLOYER

Organization IC 1600 BIdg. ROE WISEN UNITED STATES PATENT AND TRADEMARK OFFICE

Alexandria, VA. 22313-1450 If Undeliverable Return In Ten Days

P.O. Box 1450

Official Business Penalty For Private Use, \$300



Í.





UNITED STATES PATENT AND TRADEMARK OFFICE

SEP 2 4 2009 RECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND

22 Sep 2009

Applicant Mailing address

In re Application of: Cho et al.

Application No.: 10597305

Filed: 19 Jul 2006

Attorney Docket No.:

58049-00034

DECISION ON PETITION TO ACCEPT COLOR DRAWINGS

For:

Differentiation Regulating Agent Containing Gene Which Regulating

Differentiation From Stem Cells Into

Natural Killer Cells As Effective

Ingredient

This is in response to applicant's petition filed 03 Aug 2009 under 37 C.F.R. 1.84 to use color drawings in the application. Applicant has (A) paid the appropriate petition fee; (B) not providedd the required three (3) copies of formal color drawings; (C) the black and white photocopy of the drawings in the image file wrapper will suffice for 37 C.F.R. 1.84(a)(2)(iii); and (D) the petition indicates inserting a paragraph regarding the color drawings, however, this does not meet the criteria of 37 CFR 1.121. There is no fomal amendment to the specification regarding the color drawings in the an amendment attached to the specification. containing the appropriate language for incorporation of color drawings under 37 C.F.R. 1.84(a)(2)(iv). The Legal Framework document http://www.uspto.gov/ebc/portal/efs/legal.htm indicates color drawings filed via EFSWEB are limited to design applications.

Applicant's petition is **DENIED**.

Questions with regard to this letter should be directed to the undersigned as indicated below.

/ Christopher S. F. Low /

Christopher S. F. Low Supervisory Patent Examiner TC 1600, Art Unit 163X (571) 272-0951

Christopher.low@uspto.gov

22 Sep 2009

CHRISTOPHER S. F. LOW SUFERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600